Notice of Allowability	Application No.	Applicant(s)
	09/868,156	NEUMEIER ET AL.
	Examiner	Art Unit
	Thao P. Le	2818
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>4/26/07</u> .		
2. The allowed claim(s) is/are <u>23-32</u> .		
<ul> <li>3.</li></ul>		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. Notice of Informal Pa	atent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary ( Paper No./Mail Date	
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🛭 Examiner's Amendm	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. X Examiner's Statemen	nt of Reasons for Allowance
Madr	9. Other	

Application/Control Number: 09/868,156

Art Unit: 2818

## DETAILED ACTION

This Office Action is in response to remark filed on 4/26/07.

Claims 1-22, 33-41 have been withdrawn.

Claims 23-32 are pending.

Remark of Applicants has been considered.

## Examiner's Amendment

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Cancel Claims 1-22, 33-41 due to the withdrawal of non-elected claims.

Amend claim 23 as following:

At the end of step (c) of claim 23, add a semi comma (;).

## Reason for allowance

Claims 23-32 are allowed. The following is an examiner's statement of reason for allowance: None of the references of record teaches or suggests the claimed limitations having a method of producing a micro-electromechanical element comprising the following steps, among other steps cited in independent claim 23, connecting the first semiconductor wafer via the first intermediate layer to a second semiconductor wafer in such a way that a hermetically sealed cavity is defined by a recess, thinning one of the

Art Unit: 2818

wafers from a surface facing away from the first intermediate layer so as to produce a diaphragm-like structure on top of the cavity, wherein the intermediate layer is structured in such a way that, when the two wafers have been connected, at least two hermetically sealed cavities are defined, which are interconnected by a channel, a respective diaphragm-like structure being arranged on top of each of the cavities.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance".

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thao P. Le whose telephone number is 571-272-1785. The examiner can normally be reached on M-F (8-6).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor Matthew Smith can be reached on 571-272-1907. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/868,156

Art Unit: 2818

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Thao P. Le

Primary Examiner

May 24, 2007.